

Hudson Wells PFOA Test Results

Sample Site Name	Date Collected	Date Results	PFOA Results	PFOA + PFOS	
		Received	(ppt)	PFOS Results (ppt)	Results (ppt)
Weinstein Well - DEP (UCMR3)	1/21/2014	n/a	< 20	< 40	Not Detected
Dame/Ducharme Well - DEP (UCMR3)	7/15/2014	n/a	< 20	< 40	Not Detected
Weinstein Well - DEP	3/16/2016	3/20/2016	7.00	< 4	7.0
Dame Well - DEP	3/16/2016	3/20/2016	9.00	< 4	9.0
Weinstein Well - DEP	4/13/2016	n/a	n/a	n/a	n/a
Dame Well - DEP	4/13/2016	5/11/2016	12.00	< 4.5	12.0
Weinstein Well - DEP	5/16/2016	5/23/2016	8.00	< 4	8.0
Dame Well - DEP	5/16/2016	5/23/2016	8.00	< 4	8.0
Weinstein Well - DEP	6/15/2016	6/24/2016	4.00	< 4	4.0
Dame Well - DEP	6/15/2016	6/24/2016	6	< 4	6.0
Weinstein Well - DEP	7/12/2016	7/21/2016	5	< 4	5.0
Dame Well - DEP	7/12/2016	7/21/2016	7	< 4	7.0
Weinstein Well - DEP	8/16/2016	8/24/2016	2	< 4	2.0
Dame Well - DEP	8/16/2016	8/24/2016	7	< 4	7.0
Weinstein Well - DEP	9/20/2016	9/28/2016	5	< 4	5.0
Dame Well - DEP	9/20/2016	9/28/2016	7	< 4	7.0
Weinstein Well - DEP	10/12/2016	10/27/2016	6	< 4	6.0
Dame Well - DEP	10/12/2016	10/27/2016	9	< 4	9.0
Weinstein Well - DEP	11/15/2016	11/28/2016	6	< 4	6.0
Dame Well - DEP	11/15/2016	11/28/2016	8	< 4	8.0
Weinstein Well - DEP	12/14/2016	12/28/2016	< 2	< 4	<2
Dame Well - DEP	12/14/2016	12/28/2016	8	< 4	8.0
Weinstein Well - DEP	1/24/2017	2/1/2017	6	< 4	6.0
Dame Well - DEP	1/24/2017	2/1/2017	9	< 4	9.0
Weinstein Well - DEP	2/27/2017	3/9/2017	6	< 4	6.0
Dame Well - DEP	2/27/2017	3/9/2017	7	< 4	7.0
Weinstein Well - DEP	3/15/2017	3/27/2017	7	< 4	7.0
Dame Well - DEP	3/15/2017	3/27/2017	10	< 4	10.0
Weinstein Well - DEP	4/17/2017	4/26/2017	7	< 4	7.0
Dame Well - DEP	4/17/2017	4/26/2017	9	< 4	9.0
Weinstein Well - DEP	5/10/2017	5/18/2017	6	< 4	6

Dame Well - DEP	5/10/2017	5/18/2017	8	< 4	8
Weinstein Well - DEP	6/20/2017	7/14/2017	7.00	<4	7
Dame Well - DEP	6/20/2017	7/14/2017	9.00	<4	9
Weinstein Well - DEP	7/10/2017	8/2/2017	9.31	<1.92	9.3
Dame Well - DEP	7/10/2017	8/2/2017	7.60	<1.85	7.6
Weinstein Well - DEP	8/21/2017	9/8/2017	6.25	<1.78	6.3
Dame Well - DEP	8/21/2017	9/8/2017	7.30	<1.72	7.3
Weinstein Well - DEP	9/6/2017	9/22/2017	7.28	1.91	9.2
Dame Well - DEP	9/6/2017	9/22/2017	7.79	<1.72	7.8
Weinstein Well - DEP	10/25/2017	11/20/2017	8.85	1.82	10.7
Dame Well - DEP	10/25/2017	11/20/2017	12.6	<1.78	12.6
Weinstein Well - DEP	11/13/2017	12/6/2017	8.38	<1.72	8.4
Dame Well - DEP	11/13/2017	12/6/2017	9.28	<1.72	9.3
Weinstein Well - DEP	12/18/2017	1/8/2018	4.86	<1.78	4.9
Dame Well - DEP	12/18/2017	1/8/2018	6.95	<1.78	7.0
Weinstein Well - DEP	1/8/2018	1/26/2018	9.45	<1.78	9.5
Dame Well - DEP	1/15/2018	1/26/2018	13.1	<1.72	13.1
Weinstein Well - DEP	2/12/2018	4/2/2018	9.43	2.29	11.7
Dame Well - DEP	2/12/2018	4/2/2018	11.30	<1.78	11.3
Weinstein Well - DEP	3/15/2018	4/2/2018	7.51	<1.78	7.5
Dame Well - DEP	3/15/2018	4/2/2018	9.77	<1.92	9.8
Weinstein Well - DEP	4/11/2018	4/30/2018	7.65	1.72	9.4
Dame Well - DEP	4/11/2018	4/30/2018	10.40	<1.72	10.4
Weinstein Well - DEP	5/10/2018	6/5/2018	7.15	<1.72	7.2
Dame Well - DEP	5/10/2018	5/22/2018	8.25	<1.78	8.3
Weinstein Well - DEP	6/13/2018	6/25/2018	7.50	<1.85	7.5
Dame Well - DEP	6/13/2018	6/25/2018	10.0	<1.85	10.0